

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 22 1981

Returned to applicant for correction

Corrected application filed

Map filed JUN 22 1981

The applicant RONNIE FORD

2800 W. Sahara Ave., Bldg 4-B, of Las Vegas
Street and No. or P.O. Box No. City or Town

Nevada 89102
State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground - existing well
Name of stream, lake or other source.

2. The amount of water applied for is 0.2 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for quasi-municipal domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: The SW1/4 SW1/4, Section 36, T. 19 S. R. 60 E., M.D.M., Clark County, Nevada; S. 52°28'18" W.,
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, 1519.10 feet to the Southwest corner of said Section 36.
it should be stated.

6. Place of use a portion of the West Half (W1/2) of the Southwest Quarter
Describe by legal subdivision, if on unsurveyed land it should be so stated.
(SW1/4) of Section 36, T. 19 S., R. 60 E., M.D.M.; Clark County, Nevada.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) by well and pipes

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....
10. Estimated time required to construct works..... existing well
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use..... 90 days
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

To serve two - one-half acres+ lots

RONNIE FORD

By s/Jerry E. Barnson
Signature, applicant or agent

Compared bl/js bt/bc JERRY E. BARNSON, Agent
2800 W. Sahara, Bldg. 4-B
Las Vegas, NV 89102

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.2 cubic feet per second., but not to exceed..... 0.73 million gallons annually.

Actual construction work shall begin on or before..... N/A

Proof of commencement of work shall be filed before..... N/A

Work must be prosecuted with reasonable diligence and be completed on or before..... July 8, 1983

Proof of completion of work shall be filed before..... August 8, 1983

Application of water to beneficial use shall be made on or before..... July 8, 1985

Proof of the application of water to beneficial use shall be filed on or before..... August 8, 1985

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I..... PETER G. MORROS
Completion of work filed..... OCT 7 1983..... State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed..... my office, this..... 8th..... day of..... JULY
Cultural map filed..... NOV 4 1987.....
Certificate No. CANCELLED Issued AD 19 82
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

218 (Rev. 9-80) STATE ENGINEER